

PRODUCT-DETAILS

OC25G04PNBN00NUH2

OC25G04PNBN00NUH2 Cam switch



Información General

Extended Product Type	OC25G04PNBN00NUH2
Product ID	1SCA134812R1001
EAN	6417019635620
Catalog Description	OC25G04PNBN00NUH2 Cam switch
Long Description	OC25 Cam switch, Ith=25A, Change-Over, 4-contacts, Snap-on door mounting, Black Basic handle. Black handle and frontplate with standard text are included. Special engraved frontplates to be ordered as separate items.

Clasificación

Last Ordering Date	2020-09-30 All Countries
--------------------	--------------------------

Descargas Populares

Data Sheet, Technical Information	1SCC302009C0201
Instructions and Manuals	1SCC302013F0006
Wiring Diagram	1SCC302014M0201

Dimensiones

Product Net Width	51 mm
-------------------	-------

Product Net Height	51 mm
Product Net Depth / Length	95 mm
Product Net Weight	0.11 kg

Technical

Rated Operational Current AC-22A (I_e)	(500 V) 20 A (690 V) 20 A
Rated Operational Current AC-23A (I_e)	(690 V) Three Phase 5.9 A (500 V) Three Phase 8.1 A (230 V) Three Phase 15 A (400 V) Three Phase 15 A
Rated Operational Power AC-23A (P_e)	(690 V) Three Phase 4.8 kW (500 V) Three Phase 4.8 kW (230 V) Three Phase 2.6 kW (400 V) Three Phase 7.5 kW
Conventional Free-air Thermal Current (I_{th})	q = 40 °C 25 A
Conventional Thermal Current (I_{the})	Fully Enclosed 25 A
Rated Continuous Thermal Current	25 A
Rated Impulse Withstand Voltage (U_{imp})	4 kV
Rated Insulation Voltage (U_i)	690 V
Rated Operational Voltage	690 V
Rated Short-time Withstand Current (I_{cw})	for 1 s 0.3 kA for 3 s 0.173 kA
Power Loss	1.8 W
Pollution Degree	3
Handle Type	Basic handle
Special Functions	Change-over switch: With 0-position: 12 o'clock, step angle 60°, front plate HAND-OFF-AUTO
Color	Black
Mounting Type	Snap-on door mounting
Number of Contacts	4
Number of Poles	2
Enclosure Type	Not enclosed
Terminal Type	Screw Terminals

Technical UL/CSA

Ampere Rating UL/CSA	600 V AC 25 A
----------------------	---------------

Certificados y Declaraciones (Número de Documento)

Declaration of Conformity - CE	1SCC302005D0201
Instructions and Manuals	1SCC302013F0006

Información de Embalaje

Package Level 1 Units	1 piece
Package Level 1 Width	70 mm

Package Level 1 Depth / Length	122 mm
Package Level 1 Height	70 mm
Package Level 1 Gross Weight	0.11 kg
Package Level 1 EAN	6417019635620

Clasificaciones

Object Classification Code	Q
ETIM 5	EC002611 - Control switch
ETIM 6	EC002611 - Control switch
ETIM 7	EC002611 - Control switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categorías

Productos y sistemas de baja tensión → Interruptores-seccionadores → Conmutadores de levas

