

PRODUCT-DETAILS

# 463BU6W

## Ind. P&S#463BU6W



### Información General

Extended Product Type	463BU6W
Product ID	2CMA168115R1000
EAN	7392696681155
Catalog Description	Ind. P&S#463BU6W
Long Description	Inlet, panel mounting, earthing sleeve position 6h, rated current 63A, IP67 watertight, unified flange, straight, 3-poles+neutral+earth, frequency 50-60 Hz, color code Red

### Clasificación

E-Number (Sweden)	E2417416
E-Number (Finland)	2421555
E-Number (Norway)	1562283
EAN	7392696681155
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

### Dimensiones

Product Net Width	114 mm
Product Net Height	114 mm

Product Net Length	126 mm
Product Net Depth / Length	126 mm
Product Net Weight	0.6 kg

### Información de Embalaje

Package Level 1 Width	112 mm
Package Level 1 Depth / Length	112 mm
Package Level 1 Height	139 mm
Package Level 1 Gross Weight	0.65 kg
Package Level 1 EAN	7392696681155
Package Level 1 Units	box 1 piece
Package Level 2 Units	350 piece

### Technical UL/CSA

Ampere Rating UL/CSA	63 A
----------------------	------

### Certificados y Declaraciones (Número de Documento)

Declaration of Conformity - CE	2CMC700005D0001
Declaration	2CMC700005D0001
Environmental Information	2CMC000056M0000
RoHS Information	2CMC700005D0001
SEMKO Certificate	1519130
REACH Declaration	2CMC700005D0001

### Información Adicional

Additional Information	3P+N+E
Ambient Temperature	-25 ... 40 °C
Cable Cross-Section	6 ... 25 mm <sup>2</sup>
Color	Red
Connection Type	Screw
Degree of Protection	IP67 IP69
Design	Surface mounted plug
Frequency (f)	50 Hz 60 Hz
Function	Inlet, panel mounting, unified flange, straight
Housing Material	Thermoplastic (PBT)
Invoice Description	Ind. P&S#463BU6W
Mounting Holes	61x61
Mounting Type	unified flange, straight

Number of Poles	5
Order Multiple	1 piece
Product Main Type	TBU
Product Name	Panel mounted inlet
Protection Type	Watertight
Rated Current ( $I_n$ )	63 A
Rated Frequency (f)	50..60 Hz
Rated Voltage ( $U_r$ )	200/346 ... 240/415 V
Recommended Screw Driver	PH2
RoHS Date	L23
Standards	IEC 60309-1, -2
Suitable For	Inlets for Panel Mounting
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC000040M0001
Installation Manual	2CMC000040M0001
RAL Number	RAL 7001 - Gris plata

---

## Clasificaciones

eClass	27440519
UNSPSC	39120000

---

## Categorías

Productos y sistemas de baja tensión → Tomas de corriente industriales → Tough & Safe → Inlets for Panel Mounting

