

PRODUCT-DETAILS

PDR31.0

PDR31.0 PROFIBUS Termination Unit For usage with SMK3.0



Información General

Extended Product Type	PDR31.0
Product ID	1SAJ243000R0001
EAN	4013614499647
Catalog Description	PDR31.0 PROFIBUS Termination Unit For usage with SMK3.0
Long Description	PDR31.0 PROFIBUS Termination Unit For usage with SMK3.0

Clasificación

EAN	4013614499647
Minimum Order Quantity	1 piece
Customs Tariff Number	85176200

Dimensiones

Product Net Width	22.5 mm
Product Net Height	64 mm
Product Net Depth / Length	59 mm
Product Net Weight	0.03 kg

Información de Embalaje

Package Level 1 Units	1 piece
-----------------------	---------

Package Level 1 Width	112 mm
Package Level 1 Height	67 mm
Package Level 1 Depth / Length	26 mm
Package Level 1 Gross Weight	0.03 kg
Package Level 1 EAN	4013614499647

Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Información Adicional

Degree of Protection	IP20
Fieldbus Interface Type	PROFIBUS
Mounting on DIN Rail	With Single Mounting Kit
Mounting Type	UMC100.3/Single Mounting
Power Loss	Approximately 0.5 W
Product Main Type	PDR31.0
Product Name	Termination Unit
Rated Control Supply Voltage (U _s)	24 V DC
Standards	IEC/EN 61131-2
Suitable For	UMC100

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	2CDC192016D0201
Declaration of Conformity - CE	1SVD981004-0001
Instructions and Manuals	2CDC192017M6801
RoHS Information	1SVD981004-0001

Clasificaciones

ETIM 5	EC001604 - Fieldbus, decentr. periphery - communication module
ETIM 6	EC001604 - Fieldbus, decentr. periphery - communication module
ETIM 7	EC001604 - Fieldbus, decentr. periphery - communication module
Object Classification Code	K
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	7.0 27242608

Categorías

Productos y sistemas de baja tensión → Aparatos de control → Controladores de motor → Universal Motor Controllers Accessories

