

PRODUCT-DETAILS

F2C-A2

F2C-A2 Shunt trip



Información General

Extended Product Type	F2C-A2
Product ID	2CSS200933R0012
EAN	8012542975007
Catalog Description	F2C-A2 Shunt trip
Long Description	The F2C-A2 shunt trip allows the remote opening of the device when a voltage is applied. Suitable for RCCBs F200 series and RCBOs DS201 and DS202C. It can be used with MCBs SN201 series by means of SN201-IH interface module. It works in a range of 110-415V a.c. and 110-250V d.c.

Clasificación

EAN	8012542975007
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensiones

Product Net Width	17.5 mm
Product Net Height	0.085 m
Product Net Depth / Length	0.069 m
Product Net Weight	0.112 kg

Información de Embalaje

Package Level 1 Units	1 piece
Package Level 1 Width	0.023 m
Package Level 1 Height	0.107 m
Package Level 1 Depth / Length	0.107 m
Package Level 1 Gross Weight	0.118 kg
Package Level 1 EAN	8012542975007

Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Información Adicional

Number of Switches	0
Product Main Type	F2C-A
Product Name	Shunt trip
Rated Voltage (U _r)	110 V
Suitable For	F200, SN201, DS201, DS202C
Suitable for Product Class	Miniature Circuit Breakers MCBs Residual Current Devices RCDs Residual Current Breakers with Overload Protection RCBo

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	2CSC400002D0209
Declaration of Conformity - CE	9AKK106713A5575
Environmental Information	document not needed
Instructions and Manuals	9AKK107680A3320

Clasificaciones

ETIM 4	EC000003 - Residual current circuit breaker (RCCB)
ETIM 5	EC000003 - Residual current circuit breaker (RCCB)
ETIM 6	EC001286 - Auxiliary contact unit for distribution board
ETIM 7	EC001286 - Auxiliary device for distribution board devices
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categorías

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Interruptores diferenciales → Residual Current Devices RCDs Accessories

