

PRODUCT-DETAILS

CL-520Y

PILOT LIGHT CL-520Y 220V d.c.



Información General

Extended Product Type	CL-520Y
Product ID	1SFA619402R5203
EAN	7320500260036
Catalog Description	PILOT LIGHT CL-520Y 220V d.c.
Long Description	Compact Pilot Light - Pilot light head - Yellow - Illuminated - Lamptype: LED 220V DC

Clasificación

E-Number (Sweden)	3711404
EAN	7320500260036
Minimum Order Quantity	10 piece
Customs Tariff Number	85369001

Dimensiones

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.022 kg

Información de Embalaje

Package Level 1 Units	10 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.03 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Gross Weight	0.022 kg

Ambiente

Ambient Air Temperature	Funcionamiento -25 ... +70 °C Almacenamiento -30 ... +85 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Información Adicional

Actuator Type	Pilot light head
Color	Yellow
Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20 Front IP66 Front IP67 Front IP69K
Illumination	Illuminated
Lamp Type	LED 220V DC
Product Main Type	CL
Product Name	Pilot Light
Product Range	Compact
Product Type	CL
Rated Current (I _n)	5 mA
Rated Frequency (f)	Supply Circuit 50 60 Hz
Rated Operational Voltage	220VDC
RoHS Date	0626 5

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	1SFC151003C0201
Declaration of Conformity - CE	1SFA1-70
Environmental Information	1SFC151009D0201
Instructions and Manuals	1SFC151003C0201
RoHS Information	1SFC151012D0202

Clasificaciones

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC002024 - Accessories for control circuit devices
Object Classification Code	E
UNSPSC	39121500

Categorías

Productos y sistemas de baja tensión → Aparatos de control → Pulsanería → Compact Range

