

PRODUCT-DETAILS

# CL-530L

## PILOT LIGHT CL-530L 380V a.c.



### Información General

Extended Product Type	CL-530L
Product ID	1SFA619402R5304
EAN	7320500257234
Catalog Description	PILOT LIGHT CL-530L 380V a.c.
Long Description	Compact Pilot Light - Pilot light head - Blue - Illuminated - Lamptype: LED 380V AC

### Clasificación

EAN	7320500257234
Minimum Order Quantity	10 piece
Customs Tariff Number	85369001

### Dimensiones

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.023 kg

### Información de Embalaje

Package Level 1 Units	10 piece
-----------------------	----------

Package Level 1 Width	0.1 m
Package Level 1 Height	0.03 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Gross Weight	0.023 kg

## Ambiente

Ambient Air Temperature	Funcionamiento -25 ... +70 °C Almacenamiento -30 ... +85 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Información Adicional

Actuator Type	Pilot light head
Color	Blue
Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20 Front IP66 Front IP67 Front IP69K
Illumination	Illuminated
Lamp Type	LED 380V AC
Product Main Type	CL
Product Name	Pilot Light
Product Range	Compact
Product Type	CL
Rated Current (I <sub>n</sub> )	16 mA
Rated Frequency (f)	Supply Circuit 50 60 Hz
Rated Operational Voltage	380 V AC
RoHS Date	0626 5

## Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	1SFC151003C0201
Declaration of Conformity - CE	1SFA1-70
Environmental Information	1SFC151009D0201
Instructions and Manuals	1SFC151003C0201
RoHS Information	1SFC151012D0202

## Clasificaciones

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC002024 - Accessories for control circuit devices
Object Classification Code	E
UNSPSC	39121500

---

## Categorías

---

Productos y sistemas de baja tensión → Aparatos de control → Pulsantería → Compact Range

