

PRODUCT-DETAILS

E 9F14 GG40

E 9F14 GG40 Fuse link



Información General

| | |
|-----------------------|--|
| Extended Product Type | E 9F14 GG40 |
| Product ID | 2CSM257513R1801 |
| EAN | 8012542575139 |
| Catalog Description | E 9F14 GG40 Fuse link |
| Long Description | E 9F14 GG40 is a 14x51 mm cylindrical fuse for circuits protection |

Clasificación

| | |
|------------------------|---------------|
| EAN | 8012542575139 |
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 85361010 |

Dimensiones

| | |
|----------------------------|----------|
| Product Net Width | 0.001 m |
| Product Net Height | 0.051 m |
| Product Net Depth / Length | 0.001 m |
| Product Net Weight | 0.006 kg |

Información de Embalaje

| | |
|-----------------------|----------|
| Package Level 1 Units | 10 piece |
|-----------------------|----------|

| | |
|--------------------------------|---------------|
| Package Level 1 Width | 0.03 m |
| Package Level 1 Height | 0.07 m |
| Package Level 1 Depth / Length | 0.051 m |
| Package Level 1 Gross Weight | 0.19 kg |
| Package Level 1 EAN | 8012542575139 |

Ambiente

| | |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

Información Adicional

| | |
|---------------------------------|--|
| Dimensions | 14x51 mm |
| Fuse Size | Cylindrical IEC 14x51 |
| Fuse Type | Cylindrical gG |
| Maximum Breaking Capacity | 120 kA |
| Power Loss | at Rated Operating Conditions per Pole 4 W |
| Product Main Type | E 9F |
| Product Name | Fuse link |
| Rated Current (I _n) | 40 A |
| Rated Voltage (U _r) | 500...500 V |
| Rated Operational Voltage | 500 V AC |
| Release Type | Other |
| RoHS Date | 27/01/2014 |
| Voltage Range | 500 V AC |

Certificados y Declaraciones (Número de Documento)

| | |
|-----------------------------------|----------------------|
| Data Sheet, Technical Information | 2CSC444002B0204 |
| Declaration of Conformity - CE | 2CSC444004D2701 |
| Environmental Information | See RoHS Information |
| Instructions and Manuals | Not applicable |
| RoHS Information | 2CSC444012K2701 |

Clasificaciones

| | |
|----------------------------|--|
| ETIM 4 | EC002704 - Cylindrical fuse |
| ETIM 5 | EC002704 - Cylindrical fuse |
| ETIM 6 | EC002704 - Cylindrical fuse |
| ETIM 7 | EC002704 - Cylindrical fuse |
| Object Classification Code | F |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categorías

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Protection and Safety devices → Cylindrical and D0 Fuses

