


PRODUCT-DETAILS

XT3 P FP 3p HR

XT3 P FP 3p HR



Información General

| | |
|-----------------------|--|
| Extended Product Type | XT3 P FP 3p HR |
| Product ID | 1SDA068193R1 |
| EAN | 8015644696276 |
| Catalog Description | XT3 P FP 3p HR |
| Long Description | FIXED PART PLUG-IN FOR C.BREAKER TMAX THREE-POLE WITH REAR TERMINALS HORIZONTAL XT3 |

Clasificación

| | |
|------------------------|---------------|
| EAN | 8015644696276 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85389099 |

Dimensiones

| | |
|----------------------------|---------|
| Product Net Width | 120 mm |
| Product Net Height | 180 mm |
| Product Net Depth / Length | 225 mm |
| Product Net Weight | 1.04 kg |

Información de Embalaje

| | |
|--------------------------------|---------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 120 mm |
| Package Level 1 Height | 180 mm |
| Package Level 1 Depth / Length | 225 mm |
| Package Level 1 Gross Weight | 1.19 kg |
| Package Level 1 EAN | 8015644696276 |

Información Adicional

| | |
|---|--|
| Configuration Type | Loose or configurable |
| Number of Poles | 3 |
| Order Multiple | 1 piece |
| Product Main Type | Accessories for Tmax XT |
| Product Name | Accessory |
| Product Type | FP |
| Rated Frequency (f) | 50 / 60 Hz |
| Rated Impulse Withstand Voltage (U _{imp}) | 8 kV |
| Rated Insulation Voltage (U _i) | 800 V |
| Rated Operational Voltage | 690 V AC 500 V DC |
| Standards | IEC 60947 |
| Sub-type | XT3 |
| Suitable For | XT3 |
| Terminal Connection Type | Plug-In Circuit-Breakers Rear flat Horizontal |
| Version | P |

Certificados y Declaraciones (Número de Documento)

| | |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 1SDC210100D0204 1SDC210099D0204 |
| Instructions and Manuals | 1SDH000720R0002 |

Clasificaciones

| | |
|----------------------------|--|
| ETIM 6 | EC002043 - Chassis part power circuit breaker |
| ETIM 7 | EC002043 - Chassis part power circuit breaker |
| Object Classification Code | Q |
| UNSPSC | 39120000 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categorías

Productos y sistemas de baja tensión → Interruptores automáticos → Interruptores automáticos en caja moldeada → Tmax XT

