

Product datasheet

Specifications



Neutral Screwless terminal block 14 holes (3x25+11x4) + Jumper

LGYT1N14

Main

Range	Linergy
Product or component type	Terminal block
Accessory / separate part category	Connection accessory
Range compatibility	Resi9 enclosure Pragma enclosure Kaedra enclosure enclosure
Colour	Blue

Complementary

Provided equipment	1.0 x jumper
enclosure mounting	Flush Surface
[In] rated current	63 A
[Ue] rated operational voltage	440 V AC
Number of terminal blocks	1 neutral (screw and screwless terminals) with 14 outgoers
Distribution block outgoers	3 x 25 mm ² for neutral 11 x 4 mm ² for neutral
Connections - terminals	Screwless terminals (neutral) , 11.0 x 6 mm ² (rigid) Screw terminals (neutral) , 3.0 x 25 mm ² (semi-rigid) Screwless terminals (neutral) , 11.0 x 4 mm ² (flexible) Screw terminals (neutral) , 3.0 x 25 mm ² (flexible) Screwless terminals (neutral) , 11.0 x 6 mm ² (semi-rigid) Screwless terminals (neutral) , 11.0 x 4 mm ² (flexible with ferrule) Screw terminals (neutral) , 3.0 x 16 mm ² (rigid)
Free slots	2 for jumper to connect an other terminal block
Width	67.2 mm
Height	45.5 mm
Depth	40.5 mm
Market segment	Small commercial Residential

Environment

Ambient air temperature for storage	-25...60 °C
-------------------------------------	-------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
Package 1 Height	4 cm
Package 1 Width	12 cm
Package 1 Length	17.5 cm
Package 1 Weight	100 g
Unit Type of Package 2	S03
Number of Units in Package 2	40
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	4.7 kg
Unit Type of Package 3	P12
Number of Units in Package 3	320
Package 3 Height	45 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	52.6 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Reach Free Of Svhc

 Toxic Heavy Metal Free

 Mercury Free

 RoHS Exemption Information Yes

Reach Regulation

[REACH Declaration](#)

Eu RoHS Directive

Compliant

[EU RoHS Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins