

PRODUCT-DETAILS

Pluto B42 AS-i

Pluto B42 AS-i



Información General

Extended Product Type	Pluto B42 AS-i
Product ID	2TLA020070R1400
EAN	7320500410608
Catalog Description	Pluto B42 AS-i
Long Description	Safety PLC with AS-i bus and Pluto safety bus. Totally 42 I/O: 20 failsafe inputs + 16 non-failsafe outputs/failsafe inputs + 4 individually failsafe relay outputs + 2 individually failsafe transistor outputs.

Clasificación

Minimum Order Quantity	1 piece
Customs Tariff Number	8536411090

Descargas Populares

Data Sheet, Technical Information	2TLC010001C0202
Instructions and Manuals	2TLC172001M0210

Dimensiones

Product Net Depth / Length	120 mm
----------------------------	--------

Product Net Height	84 mm
Product Net Width	90 mm
Product Net Weight	0.65 kg

Technical

Diagnostic Coverage	High
Number of Inputs	Failsafe 36
Number of Outputs	Failsafe (Transistor) 2 Failsafe (Relay) 4 Non-Failsafe 16
Performance Level (PL)	Up to e
Protocol Type	MODBUS ASCII, Pluto Safety Bus, AS-i, StatusBus
Rated Control Supply Voltage (U _s)	24 V DC
Supply Voltage	24 V DC

Certificados y Declaraciones (Número de Documento)

Declaration of Conformity - CE	2TLC172011D0201
Environmental Information	2TLC172001D0201
Instructions and Manuals	2TLC172001M0210
RoHS Information	2TLC172006D0201
TÜV Certificate	2TLC172005D0201

Clasificaciones

Object Classification Code	K
ETIM 4	EC001449 - Device for monitoring of safety-related circuits
ETIM 5	EC001449 - Device for monitoring of safety-related circuits
ETIM 6	EC000236 - PLC CPU-module
ETIM 7	EC000236 - PLC CPU-module
UNSPSC	32151705
E-Number (Sweden)	3860089

Categorías

Productos y sistemas de baja tensión → Aparatos de control → Dispositivos de seguridad → PLC de seguridad - Pluto → Pluto

