

PRODUCT-DETAILS

ONSO32PB

ONSO32PB Cam switch



Información General

Extended Product Type	ONSO32PB
Product ID	1SCA022533R0110
EAN	4034656521356
Catalog Description	ONSO32PB Cam switch
Long Description	Black handle and frontplate with standard text are included. Special engraved frontplates to be ordered as separate items.

Clasificación

Last Ordering Date	2020-09-30 All Countries
Replacement Product ID (NEW)	1SCA126572R1001

Descargas Populares

Data Sheet, Technical Information	1SCC302003C0201
Instructions and Manuals	1SCC302004M0203

Dimensiones

Product Net Width	48 mm
Product Net Height	48 mm

Product Net Depth / Length	104 mm
Product Net Weight	0.12 kg

Technical

Rated Operational Current AC-22A (I_e)	(500 V) 20 A (690 V) 20 A
Rated Operational Current DC-21B (I_e)	(440 V) 20 A (600 V) 16 A
Conventional Free-air Thermal Current (I_{th})	$q = 40\text{ }^{\circ}\text{C}$ 25 A
Rated Continuous Thermal Current	FullyEnclosed 25 A
Rated Impulse Withstand Voltage (U_{imp})	4 kV
Rated Operational Voltage	400 V
Rated Short-time Withstand Current (I_{cw})	for 3 s 0.1 kA
Handle Type	Basic handle
Special Functions	Multistep switch: 3-step, with 0-position: 12 o'clock, step angle 30°, front plate 0-1-2-3
Color	Black
Mounting Type	Snap-on door mounting
Number of Contacts	6
Number of Poles	2
Enclosure Type	Not enclosed
Terminal Type	Screw Terminals

Technical UL/CSA

Ampere Rating UL/CSA	600 V AC 25 A
----------------------	---------------

Ambiente

Environmental Information	1SCC302003D0201
---------------------------	-----------------

Certificados y Declaraciones (Número de Documento)

Declaration of Conformity - CE	1SCC302001D0204
Environmental Information	1SCC302003D0201
Instructions and Manuals	1SCC302004M0203
RoHS Information	1SCC302004D0201

Información de Embalaje

Package Level 1 Units	10 piece
Package Level 1 Width	48 mm
Package Level 1 Depth / Length	104 mm
Package Level 1 Height	48 mm
Package Level 1 Gross	0.12 kg

Weight	
Package Level 1 EAN	4034656521356

Clasificaciones

Object Classification Code	Q
ETIM 5	EC002611 - Control switch
ETIM 6	EC002611 - Control switch
ETIM 7	EC002611 - Control switch
UNSPSC	39122217
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categorias

Productos y sistemas de baja tensión → Interruptores-seccionadores → Conmutadores de levas

