



HPI-T High Wattage

HPI T 1000W 543 E40 220V 1SL/4

Quartz metal halide lamps with clear outer bulb

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- For use with control gear designed for high-pressure mercury lamps
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information	
Cap-Base	E40 [E40]
Operating Position	P [Parallel or Horizontal(HOR)]
Life to 5% Failures (Nom)	3000 h
Life To 10% Failures (Nom)	5500 h
Life to 20% Failures (Nom)	8000 h
Life to 50% Failures (Nom)	12000 h
System Description	-
Light Technical	
Color Code	543 [CCT of 4300K]
Luminous Flux (Rated) (Min)	73890 lm
Luminous Flux (Rated) (Nom)	82100 lm
Color Designation	Cool White (CW)
Lumen Maintenance 10000 h (Nom)	75 %
Lumen Maintenance 2000 h (Nom)	87 %
Lumen Maintenance 5000 h (Nom)	80 %
Chromaticity Coordinate X (Nom)	370

380
4300 K
83 lm/W
57
220 V [220]
990 W
14.2 A
8.25 A
198 V
198 V
30 s
140 V
120 V
130 V


Datasheet, 2020, September 17 data subject to change

HPI-T High Wattage

Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Approval and Application	
Energy Efficiency Label (EEL)	А
Mercury (Hg) Content (Nom)	86 mg
Energy Consumption kWh/1000 h	1089 kWh
Luminaire Design Requirements	
Bulb Temperature (Max)	555 °C

Cap-Base Temperature (Max)	300 ℃
Product Data	
Full product code	871829167617100
Order product name	HPI T 1000W 543 E40 220V 1SL/4
EAN/UPC - Product	8718291676171
Order code	928482600094
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	928482600094
Net Weight (Piece)	0.438 kg


Dimensional drawing



HPI-T 1000W/543 E40




Photometric data




LDPO_HPI-THW-Spectral power distribution Colour

HPI-T High Wattage

Lifetime





LDLE_HPI-THW_0003-Life expectancy diagram

LDLM_HPI-THW_0003-Lumen maintenance diagram



© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.