



Standard LED candles & lusters

LED candle/luster LEDBulb 4-40W E27 3000K 220-240V P45

Standard LED candles are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving candles. They deliver huge energy savings and minimize maintenance costs. The Standard LED candle is the perfect candle for your basic lighting needs. It provides the beautiful light and performance you expect from the LED technology at an affordable price.

Product data


General Information		LLMF At End Of Nominal Lifetime (Nom) 70 %	
Cap-Base	E27 [E27]	Operating and Electrical	
Nominal Lifetime (Nom)	15000 h	Input Frequency	50 to 60 Hz
Switching Cycle	50000X	Power (Rated) (Nom)	4 W
Technical Type	4-40W	Lamp Current (Nom)	40 mA
Light Technical		Starting Time (Nom)	0.5 s
Color Code	830 [CCT of 3000K]	Warm Up Time to 60% Light (Nom)	0.5 s
Beam Angle (Nom)	150 °	Power Factor (Nom)	0.5
Luminous Flux (Nom)	350 lm	Voltage (Nom)	220-240 V
Luminous Flux (Rated) (Nom)	350 lm	Temperature	
Color Designation	White (WH)	T-Case Maximum (Nom)	90 °C
Correlated Color Temperature (Nom)	3000 K	Controls and Dimming	
Luminous Efficacy (rated) (Nom)	95.00 lm/W	Dimmable	No
Color Consistency	<6		
Color Rendering Index (Nom)	80		

Standard LED candles & lusters

Mechanical and Housing	
Bulb Finish	Frosted
Product Data	
Full product code	871869653110500
Order product name	LED candle/luster LEDBulb 4-40W E27 3000K 220-240V P45
EAN/UPC - Product	8718696531105

Order code	929001160911
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001160911
Net Weight (Piece)	0.064 kg



Dimensional drawing




MINI BULB 230V 4W-25W 350lm 3000K E27 ND

Product	D	C
LED candle/luster LEDBulb 4-40W E27 3000K 220-240V P45	45 mm	87 mm

Photometric data



LEDBulb 4-25W P45 E27 3000K 350lm



Standard LED candles & lusters

