

PRODUCT-DETAILS

# CL2-502Y

## Compact Pilot Light Yellow LED 24V AC/DC



### Información General

|                       |                                                                                         |
|-----------------------|-----------------------------------------------------------------------------------------|
| Extended Product Type | CL2-502Y                                                                                |
| Product ID            | 1SFA619403R5023                                                                         |
| EAN                   | 7320500475751                                                                           |
| Catalog Description   | Compact Pilot Light Yellow LED 24V AC/DC                                                |
| Long Description      | Compact Pilot Light - Pilot light head - Yellow - Illuminated - Lamptype: LED 24V AC/DC |

### Clasificación

|                        |               |
|------------------------|---------------|
| E-Number (Norway)      | 4373507       |
| E-Number (Sweden)      | 3705753       |
| EAN                    | 7320500475751 |
| Minimum Order Quantity | 10 piece      |
| Customs Tariff Number  | 8536619090    |

### Dimensiones

|                            |         |
|----------------------------|---------|
| Product Net Width          | 0.03 m  |
| Product Net Height         | 0.03 m  |
| Product Net Depth / Length | 0.052 m |
| Product Net Weight         | 0.1 kg  |

---

**Ambiente**

---

RoHS Status

Following EU Directive 2015/863 July 22, 2019 (RoHS 3)

---

---

**Información Adicional**

---

|                           |                                                           |
|---------------------------|-----------------------------------------------------------|
| Actuator Type             | Pilot light head                                          |
| Color                     | Yellow                                                    |
| Degree of Protection      | Front IP66<br>Front IP67<br>Front IP69K<br>Terminals IP20 |
| Illumination              | Illuminated                                               |
| Lamp Type                 | 24V AC / DC, integrated LED                               |
| Product Main Type         | CL2                                                       |
| Product Name              | Pilot Light                                               |
| Product Range             | Compact                                                   |
| Rated Operational Voltage | 24 V AC/DC                                                |
| RoHS Date                 | 0635 4                                                    |

---

---

**Certificados y Declaraciones (Número de Documento)**

---

|                                   |                     |
|-----------------------------------|---------------------|
| cURus Certificate                 | UL_E496500-20171020 |
| Data Sheet, Technical Information | 1SFC151007C0201     |
| Declaration of Conformity - CE    | 2CMT2015-005451     |
| DNV GL Certificate                | 9AKK107046A3749     |
| Environmental Information         | 1SFC151009D0201     |
| Instructions and Manuals          | 1SFC151011M0201     |
| RoHS Information                  | 2CMT2015-005451     |

---

---

**Clasificaciones**

---

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC000272 - Indicator light complete                        |
| ETIM 6        | EC000272 - Indicator light complete                        |
| ETIM 7        | EC000272 - Indicator light complete                        |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

---

---

**Categorías**

---

Productos y sistemas de baja tensión → Aparatos de control → Pulsanería → Compact Range

