



The new Philips Essential smartbright Bulkhead offers exceptional value. It is Perfect for your everyday indoor and semi outdoor lighting installations. It comes with option of 2 sizes and is dust and waterproof.

Essential Smartbright Bulkhead

The new essential smartbright bulkhead is great value for money. It is IP65 waterproof design and comes in 2 sizes based on your specific lighting needs.

Essential Smartbright Bulkhead

Benefits

- 20000 Hrs life
- 1 year Warranty
- IP65: dust and waterproof

Features

- 20000 Hrs
- 1 Year Warranty
- IP65: dust and waterproof
- IK06: Sturdy design
- Mounting accessories including in package

Application

- Hospitality
- Offices
- Residential

Versions



EssentialSmartbright Bulkhead



EssentialSmartbright Bulkhead

Essential Smartbright Bulkhead

Application Conditions

Ambient temperature range	-30 to +35 °C
Maximum dim level	Not applicable

Approval and Application

Mech. impact protection code	IK06
Ingress protection code	IP65

Controls and Dimming

Dimmable	No
----------	----

Operating and Electrical

Input Voltage	220 to 240 V
---------------	--------------

General Information

Beam angle of light source	120 °
CE mark	CE mark
Protection class IEC	Safety class II
Optical cover/lens type	Polycarbonate bowl/cover
Driver included	Yes
ENEC mark	-
Flammability mark	-
Glow-wire test	Temperature 650 °C, duration 30 s
Number of gear units	1 unit

Initial Performance (IEC Compliant)

Initial chromaticity	SDCM<6
Init. Corr. Color Temperature	4000 K
Init. Color Rendering Index	>70
Initial LED luminaire efficacy	80 lm/W
Luminous flux tolerance	+/-10%

Mechanical and Housing

Color	White
-------	-------

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial luminous flux	Initial input power
911401735842	WT045C LED12/NW PSU CFW L1065	960 lm	12 W
911401821880	WT045C LED12/NW PSU CFW L1065 GC	960 lm	12 W
911401735862	WT045C LED20/NW PSU CFW L1665	1600 lm	20 W
911401821980	WT045C LED20/NW PSU CFW L1665 GC	1600 lm	20 W

