

PRODUCT-DETAILS

CT PRO XT 250 CT PRO XT 250 Current transformer



General Information	
Extended Product Type	CT PRO XT 250
Product ID	2CSG225815R1101
EAN	8012542258155
Catalog Description	CT PRO XT 250 Current transformer
Long Description	CT PRO XT 250 is used to transform primary currents to/5A secondary currents for c.a. measurement instruments

Technical	
Cable Use	Cable and Horizontal bar
Current Rating	250 A
Rated Primary Current (I pn)	250 A
Rated Secondary Current (I_{sn})	5 A
Current Limit Function	FS 5
Frequency (f)	50 60 Hz
Apparent Power Output	19 V·A
Power Loss	15 W
Secondary Output Connection	Screw connection
Accuracy	±0,5%
Model Number	Through-feed current converter

CT PRO XT 250 2

Number of Inputs	Primary 1
Mounting Type	Through Primary
Cable Cross-Section	18 mm
Rated Cross-Section	20 x 10 mm
Material Compliance	
RoHS Information	2CSC445004K2701
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Date Conflict Minerals	27/01/2014 0.00.00 9AKK108468A3363
Reporting Template (CMRT)	3AN 10040033003
Environmental	
Ambient Air Temperature	Operation -5 50 °C
Degree of Protection	IP30
Environmental Information	See RoHS Information
Dimensions	
Product Net Width	45 mm
Product Net Height	26.5 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.32 kg
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.5 kg
E-Number (Finland)	6701045
Certificates and Declarations	
Declaration of Conformity - CE	9AKK106713A5701
Installation	
Instructions and Manuals	2CSC446012B0201
Popular Downloads	
Data Sheet, Technical Information	9AKK107046A0430
Classifications	
ETIM 8	EC002048 - Current transformer
ETIM 9	EC002048 - Current transformer

CT PRO XT 250 3

WEEE Category	Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	90303100
eClass	V11.0 : 27210902
Object Classification Code	D

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Modular\ DIN\ Rail\ Products\ \to\ Energy\ Efficiency\ Devices\ \to\ Current\ Transformers$

