

PRODUCT-DETAILS

S2C-H20L

S2C-H20L - Auxiliary Contact



Información General

Extended Product Type	S2C-H20L
Product ID	2CDS200936R0002
EAN	4016779648837
Catalog Description	S2C-H20L - Auxiliary Contact
Long Description	Indication of the position of the device's contacts. To be mounted on the left side of the MCBs. Suitable for MCBs S 200 series.

Clasificación

E-Number (Sweden)	2102506
EAN	4016779648837
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensiones

Product Net Width	8.8 mm
Product Net Height	85 mm
Product Net Depth / Length	69 mm

Product Net Weight	0.055 kg
--------------------	----------

Información de Embalaje

Package Level 1 Units	1 piece
Package Level 1 Width	20 mm
Package Level 1 Height	115 mm
Package Level 1 Depth / Length	104 mm
Package Level 1 Gross Weight	0.058 kg
Package Level 1 EAN	4016779648837

Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Información Adicional

Accessory Type	Auxiliary Contact
Function	Auxiliary Contact
Power Loss	1 W
Product Main Type	S2C
Product Name	Auxiliary Contact
RoHS Date	0335
Suitable For	S200 S200M S200P S200S
Suitable for Product Class	Miniature Circuit Breaker

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	9AKK106930A8017
Declaration of Conformity - CE	2CDK400628D2701
Environmental Information	2CDK400571D0201
Instructions and Manuals	GHS2007017P0017
RoHS Information	2CDK440032D0203

Clasificaciones

ETIM 4	EC001286 - Auxiliary contact unit for distribution board
ETIM 5	EC001286 - Auxiliary contact unit for distribution board
ETIM 6	EC001286 - Auxiliary contact unit for distribution board
ETIM 7	EC001286 - Auxiliary device for distribution board devices
UNSPSC	39121614
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categorías

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts

