

PRODUCT-DETAILS

CP-D 24/1.3

CP-D 24/1.3 Power supply In: 100-240VAC Out: 24VDC/1.3A



Información General

Extended Product Type	CP-D 24/1.3
Product ID	1SVR427043R0100
EAN	4016779661171
Catalog Description	CP-D 24/1.3 Power supply In: 100-240VAC Out: 24VDC/1.3A
Long Description	The CP-D 24/1.3 is a power supply from the CP-D range. The primary switch mode power supply offers a wide range input of 90-264 V AC and 120-375 V DC, rated input voltage is 100-240 V AC. The rated output power is 30 W, rated output current is 1.3 A at an output voltage of 24 V DC. The output voltage is adjustable within a range of 24 to 28 V DC. The power supply provides a U/I output characteristic.

Clasificación

EAN	4016779661171
Customs Tariff Number	85044090
Minimum Order Quantity	1 piece
E-Number (Sweden)	5218728

Dimensiones

Product Net Depth / Length	57.5 mm
Product Net Height	91 mm
Product Net Width	53 mm
Product Net Weight	0.196 kg

Información de Embalaje

Package Level 1 Units	1 piece
Package Level 1 EAN	4016779661171
Package Level 1 Depth / Length	134 mm
Package Level 1 Height	69 mm
Package Level 1 Width	91 mm
Package Level 1 Gross Weight	0.249 kg

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	2CDC114055D0201
Instructions and Manuals	1SVC427041M0000
Declaration of Conformity - CE	1SVD982007
RoHS Information	1SVD982007-0001
Environmental Information	1SAA981005-2406

Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Clasificaciones

ETIM 5	EC002540 - DC-power supply
ETIM 6	EC002540 - DC-power supply
ETIM 7	EC002540 - DC-power supply
eClass	7.0 27049002
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	39121004
IDEA Granular Category Code (IGCC)	4130 >> DC-power supply

Categorías

Productos y sistemas de baja tensión → Aparatos de control → Fuentes de alimentación

Productos y sistemas de baja tensión → Home and Building Automation → KNX → Power Supply → Auxiliary Power Supplies

