

PRODUCT-DETAILS

E 91/125

E 91/125 Fuse disconnecter



Información General

Extended Product Type	E 91/125
Product ID	2CSM277572R1801
EAN	8012542773320
Catalog Description	E 91/125 Fuse disconnecter
Long Description	E 90 50/125 fuse holders are appropriate to protect against overloads and short circuits. They are designed for use with cylindrical fuses from 50 to 125 A.

Clasificación

EAN	8012542773320
Minimum Order Quantity	1 piece
Customs Tariff Number	85363030

Dimensiones

Product Net Width	0.035 m
Product Net Height	0.112 m
Product Net Depth / Length	0.07326 m
Product Net Weight	0.135 kg

Información de Embalaje

Package Level 1 Units	4 piece
Package Level 1 Width	0.113 m
Package Level 1 Height	0.07 m
Package Level 1 Depth / Length	0.140 m
Package Level 1 Gross Weight	0.54 kg
Package Level 1 EAN	8012542775720

Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Información Adicional

Degree of Protection	IP20
Dimensions	2 modules
Fuse Size	22x58 mm
Mounting Type	DIN rail
Number of Poles	1
Number of Protected Poles	1
Options Provided	No
Power Loss	at Rated Operating Conditions per Pole 9.5 W
Product Main Type	E 90
Product Name	Fuse disconnecter
Rated Current (I _N)	100 A
Rated Frequency (f)	50...60 Hz
Rated Voltage (U _r)	690 V
Rated Operational Voltage	690 V AC
RoHS Date	01/01/2014 0.00.00
Suitable For	E 90
Suitable for Product Class	Fuse holders
Voltage Range	690 V AC

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	2CSC444002B0204
Declaration of Conformity - CE	2CSC444009D2701
Environmental Information	See RoHS Information
Instructions and Manuals	Document not available
RoHS Information	2CSC444011K2701

Clasificaciones

ETIM 4	EC000036 - Miniature fuse holder
ETIM 5	EC000036 - Miniature fuse holder
ETIM 6	EC002705 - Holder for cylindrical fuse
ETIM 7	EC002705 - Holder for cylindrical fuse
Object Classification Code	F

Categorías

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Protection and Safety devices → Cylindrical Fuse Holders and Fuse Switch Disconnectors

