

Hoja de datos del producto ZCKE05

Características

Cabeza con retorno para ataque derecha e izquierda





Principal

Gama de producto	OsiSense XC
Series name	Standard format
Tipo de producto o componente	Limit switch head
Device short name	ZCKE
Head type	Rotary head
Compatibilidad del producto	XCKJ
Associated lever	ZCKY43 ZCKY59 ZCKY11 ZCKY41 ZCKY52 ZCKY51 ZCKY53 ZCKY81 ZCKY13 ZCKY14 ZCKY91
Associated body	ZCKJ2H29 ZCKJ5H29 ZCKJ2 ZCKJD39H7 ZCKJ7H7 ZCKJ5 ZCKJ4 ZCKJ404H29 ZCKJ4H7 ZCKJ21H29 ZCKJD37H7 ZCKJD39H29 ZCKJ1H7 ZCKJD35H29 ZCKJ6 ZCKJ5H7 ZCKJ21 ZCKJ41H7 ZCKJD39 ZCKJD37 ZCKJ404 ZCKJD31H7 ZCKJ9H29 ZCKJ41H29 ZCKJD37H29 ZCKJ7 ZCKJD35H7 ZCKJ11H7 ZCKJ1H29 ZCKJ9 ZCKJ8H7 ZCKJD35 ZCKJ4104H29 ZCKJ4H29 ZCKJ4104 ZCKJ404H7 ZCKJ21H7 ZCKJ11 ZCKJ41 ZCKJD31 ZCKJ6H7 ZCKJ8 ZCKJD31H29 ZCKJ11H29 ZCKJ7H29 ZCKJ2H7 ZCKJ8H29 ZCKJ9H7 ZCKJ4104H7 ZCKJ6H29 ZCKJ1
Movement of operating head	Rotary

Type of operator	Without operating lever spring return
Type of approach	Lateral approach 1 or 2 programmable direction

Complementos

Switch actuation	CW and/or CCW From left and/or right
Positive opening	With
Head material	Metal

Ambiente

Temperatura ambiente de trabajo	-25...70 °C
Temperatura ambiente de almacenamiento	-40...70 °C
Característica medioambiental	Standard environment

Oferta sustentable

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Garantía contractual

Warranty period	18 months
-----------------	-----------