


## PRODUCT-DETAILS

# UVR-C T4-T5-T6 24...30 Vac/dc

## UVR-C T4-T5-T6 24...30 Vac/dc



### Información General

|                       |                                                    |
|-----------------------|----------------------------------------------------|
| Extended Product Type | UVR-C T4-T5-T6 24...30 Vac/dc                      |
| Product ID            | 1SDA054887R1                                       |
| EAN                   | 8015644560157                                      |
| Catalog Description   | UVR-C T4-T5-T6 24...30 Vac/dc                      |
| Long Description      | UNDervOLTAGE RELEASE WIRED 24...30V AC-DC T4-T5-T6 |

### Clasificación

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644560157 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

### Dimensiones

|                    |         |
|--------------------|---------|
| Product Net Weight | 0.12 kg |
|--------------------|---------|

### Información de Embalaje

|                         |         |
|-------------------------|---------|
| Package Level 1 Units   | 1 piece |
| Package Level 1 Width   | 110 mm  |
| Package Level 1 Height  | 60 mm   |
| Package Level 1 Depth / | 140 mm  |

## Length

|                              |               |
|------------------------------|---------------|
| Package Level 1 Gross Weight | 0.15 kg       |
| Package Level 1 EAN          | 8015644560157 |

## Información Adicional

|                                 |                                  |
|---------------------------------|----------------------------------|
| Configuration Type              | Loose or configurable            |
| Current Type                    | AC/DC                            |
| Product Main Type               | Accessories for Tmax T           |
| Product Name                    | Accessory                        |
| Product Type                    | ACC                              |
| Rated Voltage (U <sub>r</sub> ) | 24 ... 30 V AC<br>24 ... 30 V DC |
| Standards                       | IEC                              |
| Suitable For                    | T4, T5, T6                       |
| Suitable for Product Class      | SACE Tmax T                      |

## Certificados y Declaraciones (Número de Documento)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC210032D0204 |
| Declaration of Conformity - CE    | 1SDL000158R137  |
| Instructions and Manuals          | 1SDC210033D0202 |

## Clasificaciones

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 6                     | EC001022 - Under voltage coil                              |
| ETIM 7                     | EC001022 - Under voltage coil                              |
| Object Classification Code | Q                                                          |
| UNSPSC                     | 39120000                                                   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categorías

Productos y sistemas de baja tensión → Interruptores automáticos → Interruptores automáticos en caja moldeada → Accessories for FORMULA

Productos y sistemas de baja tensión → Interruptores automáticos → Interruptores automáticos en caja moldeada → Accessories for Tmax T

