

## PRODUCT-DETAILS

# ML1-100G

## ML1-100G Pilot Light



### Información General

|                       |                                                              |
|-----------------------|--------------------------------------------------------------|
| Extended Product Type | ML1-100G                                                     |
| Product ID            | 1SFA611400R1002                                              |
| EAN                   | 7320500306161                                                |
| Catalog Description   | ML1-100G Pilot Light                                         |
| Long Description      | Modular Pilot Light - Pilot light head - Green - Illuminated |

### Clasificación

|                        |               |
|------------------------|---------------|
| E-Number (Norway)      | 4372572       |
| E-Number (Sweden)      | 3716202       |
| EAN                    | 7320500306161 |
| Minimum Order Quantity | 10 piece      |
| Customs Tariff Number  | 8536619090    |

### Dimensiones

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.03 m   |
| Product Net Height         | 0.03 m   |
| Product Net Depth / Length | 0.033 m  |
| Product Net Weight         | 0.018 kg |

## Información de Embalaje

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 0.11 m        |
| Package Level 1 Height         | 0.03 m        |
| Package Level 1 Depth / Length | 0.15 m        |
| Package Level 1 Gross Weight   | 0.018 kg      |
| Package Level 1 EAN            | 7320500306161 |

## Ambiente

|             |                                                        |
|-------------|--------------------------------------------------------|
| RoHS Status | Following EU Directive 2015/863 July 22, 2019 (RoHS 3) |
|-------------|--------------------------------------------------------|

## Información Adicional

|                      |                              |
|----------------------|------------------------------|
| Actuator Type        | Pilot light head             |
| Color                | Green                        |
| Degree of Protection | Front IP66<br>Terminals IP20 |
| Illumination         | Illuminated                  |
| Product Main Type    | ML1                          |
| Product Name         | Pilot Light                  |
| Product Range        | Modular                      |
| Product Type         | ML                           |
| RoHS Date            | 0635 4                       |

## Certificados y Declaraciones (Número de Documento)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C0201 |
| Declaration of Conformity - CE    | 2CMT2015-005452 |
| DNV GL Certificate                | E-14107         |
| Environmental Information         | 1SFC151010D0201 |
| Instructions and Manuals          | 1SFC151011M0201 |
| RoHS Information                  | 2CMT2015-005452 |

## Clasificaciones

|                            |                                                    |
|----------------------------|----------------------------------------------------|
| ETIM 4                     | EC002024 - Accessories for control circuit devices |
| ETIM 5                     | EC000223 - Front element for indicator light       |
| ETIM 6                     | EC000223 - Front element for indicator light       |
| ETIM 7                     | EC000223 - Front element for indicator light       |
| Object Classification Code | P                                                  |
| UNSPSC                     | 39121500                                           |
| WEEE Category              | Product Not in WEEE Scope                          |

---

## Categorías

---

Productos y sistemas de baja tensión → Aparatos de control → Pulsantería → Pilotos de señalización y operación

