

## PRODUCT-DETAILS

# UVR-C XT2-XT4 W 220-240Vac-220-250Vdc

## UVR-C XT2-XT4 W 220-240Vac-220-250Vdc



### Información General

|                       |                                                                                                 |
|-----------------------|-------------------------------------------------------------------------------------------------|
| Extended Product Type | UVR-C XT2-XT4 W 220-240Vac-220-250Vdc                                                           |
| Product ID            | 1SDA066406R1                                                                                    |
| EAN                   | 8015644692582                                                                                   |
| Catalog Description   | UVR-C XT2-XT4 W 220-240Vac-220-250Vdc                                                           |
| Long Description      | UNDervoltage RELEASE WIRED 220...240V AC-220...250V DC FOR WITHDRAWABLE CIRCUIT-BREAKER XT2-XT4 |

### Clasificación

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644692582 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

### Dimensiones

|                            |         |
|----------------------------|---------|
| Product Net Width          | 110 mm  |
| Product Net Height         | 60 mm   |
| Product Net Depth / Length | 140 mm  |
| Product Net Weight         | 0.12 kg |

### Información de Embalaje

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 110 mm        |
| Package Level 1 Height         | 60 mm         |
| Package Level 1 Depth / Length | 140 mm        |
| Package Level 1 Gross Weight   | 0.126 kg      |
| Package Level 1 EAN            | 8015644692582 |

## Información Adicional

|                                 |                                      |
|---------------------------------|--------------------------------------|
| Configuration Type              | Loose or configurable                |
| Current Type                    | AC/DC                                |
| Order Multiple                  | 1 piece                              |
| Product Main Type               | Accessories for Tmax XT              |
| Product Name                    | Accessory                            |
| Product Type                    | ACC                                  |
| Rated Voltage (U <sub>r</sub> ) | 220 ... 240 V AC<br>220 ... 250 V DC |
| Standards                       | IEC 60947-2                          |
| Suitable For                    | XT2, XT4                             |
| Suitable for Product Class      | SACE Tmax XT                         |

## Certificados y Declaraciones (Número de Documento)

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 1SDC210100D0204<br>1SDC210099D0204 |
| Instructions and Manuals          | 1SDH000721R0502                    |

## Clasificaciones

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 6                     | EC001022 - Under voltage coil                              |
| ETIM 7                     | EC001022 - Under voltage coil                              |
| Object Classification Code | Q                                                          |
| UNSPSC                     | 39120000                                                   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categorías

Productos y sistemas de baja tensión → Interruptores automáticos → Interruptores automáticos en caja moldeada → Accessories for Tmax XT

