

## PRODUCT-DETAILS

# E1.2 W FP Iu=1600 3p HR HR

# E1.2 W FP Iu=1600 3p HR HR



## Información General

|                       |                                                                                                      |
|-----------------------|------------------------------------------------------------------------------------------------------|
| Extended Product Type | E1.2 W FP Iu=1600 3p HR HR                                                                           |
| Product ID            | 1SDA073907R1                                                                                         |
| EAN                   | 8015644778408                                                                                        |
| Catalog Description   | E1.2 W FP Iu=1600 3p HR HR                                                                           |
| Long Description      | FIXED PART WITHDRAWABLE FOR C.BREAKER SACE EMAX2 E1.2 1600 THREE-POLE WITH REAR HORIZONTAL TERMINALS |

## Clasificación

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644778408 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

## Dimensiones

|                            |          |
|----------------------------|----------|
| Product Net Width          | 278 mm   |
| Product Net Height         | 363.5 mm |
| Product Net Depth / Length | 271 mm   |
| Product Net Weight         | 20 kg    |

## Información de Embalaje

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 320 mm        |
| Package Level 1 Height         | 330 mm        |
| Package Level 1 Depth / Length | 373 mm        |
| Package Level 1 Gross Weight   | 23 kg         |
| Package Level 1 EAN            | 8015644778408 |

## Información Adicional

|                                                     |                           |
|-----------------------------------------------------|---------------------------|
| Current Type                                        | AC                        |
| Number of Poles                                     | 3                         |
| Product Main Type                                   | SACE Emax 2               |
| Product Name                                        | Fixed Part                |
| Product Type                                        | Fixed Part                |
| Rated Current (I <sub>n</sub> )                     | 1600 A                    |
| Rated Voltage (U <sub>r</sub> )                     | 690 V                     |
| Rated Impulse Withstand Voltage (U <sub>imp</sub> ) | acc. to IEC 60947-2 12 kV |
| Rated Insulation Voltage (U <sub>i</sub> )          | AC 1000 V                 |
| Rated Operational Voltage                           | 690 V AC                  |
| Rated Uninterrupted Current (I <sub>u</sub> )       | 1600 A                    |
| Standards                                           | IEC                       |
| Sub-type                                            | E1.2                      |
| Terminal Connection Type                            | Rear flat Horizontal      |
| Version                                             | W FP                      |

## Certificados y Declaraciones (Número de Documento)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC200023D0709 |
| Declaration of Conformity - CE    | 1SDL000165R0019 |
| Environmental Information         | Not Available   |
| Instructions and Manuals          | 1SDH000999R0820 |

## Clasificaciones

|                            |                                                                         |
|----------------------------|-------------------------------------------------------------------------|
| ETIM 4                     | EC000228 - Power circuit-breaker for trafo/generator/installation prot. |
| ETIM 5                     | EC000228 - Power circuit-breaker for trafo/generator/installation prot. |
| ETIM 6                     | EC002043 - Chassis part power circuit breaker                           |
| ETIM 7                     | EC002043 - Chassis part power circuit breaker                           |
| Object Classification Code | Q                                                                       |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm)              |

---

## Categorías

---

Productos y sistemas de baja tensión → Interruptores automáticos → Interruptores automáticos de bastidor abierto → Emax 2

