

## PRODUCT-DETAILS

# F202 AC-40/0,03 AP-R

## F202 AC-40/0,03 AP-R Residual Current Circuit Breaker



### Información General

|                       |                                                       |
|-----------------------|-------------------------------------------------------|
| Extended Product Type | F202 AC-40/0,03 AP-R                                  |
| Product ID            | 2CSF202301R1400                                       |
| EAN                   | 8012542823704                                         |
| Catalog Description   | F202 AC-40/0,03 AP-R Residual Current Circuit Breaker |
| Long Description      | F202 AC-40/0,03 AP-R RCD                              |

### Technical

|                          |                                   |
|--------------------------|-----------------------------------|
| Operating Characteristic | Instantaneous (APR High Immunity) |
| Type of Residual Current | AC type                           |
| Rated Residual Current   | 30 mA                             |
| Rated Current ( $I_n$ )  | 40 A                              |
| Number of Poles          | 2                                 |
| Rated Voltage ( $U_r$ )  | 230 V                             |
| Rated Frequency (f)      | 50...60 Hz                        |

### Ambiente

|                         |                            |
|-------------------------|----------------------------|
| Ambient Air Temperature | Funcionamiento -25...55 °C |
|-------------------------|----------------------------|

### Technical UL/CSA

|                                     |         |
|-------------------------------------|---------|
| Short-Circuit Current Rating (SCCR) | 0.03 mA |
|-------------------------------------|---------|

## Dimensiones

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.085 m  |
| Product Net Height         | 0.075 m  |
| Product Net Depth / Length | 0.035 m  |
| Product Net Weight         | 0.200 kg |

## Información de Embalaje

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 0.035 m       |
| Package Level 1 Height         | 0.085 m       |
| Package Level 1 Depth / Length | 0.075 m       |
| Package Level 1 Gross Weight   | 0.225 kg      |
| Package Level 1 EAN            | 8012542823704 |

## Clasificación

|                        |          |
|------------------------|----------|
| Minimum Order Quantity | 1 piece  |
| Customs Tariff Number  | 85363030 |

## Certificados y Declaraciones (Número de Documento)

|                                |                             |
|--------------------------------|-----------------------------|
| Declaration of Conformity - CE | 9AKK106713A5602             |
| Environmental Information      | Refer to RoHS               |
| Instructions and Manuals       | Manual sheet inside the box |
| RoHS Information               | 2CSC423001K2702             |

## Descargas Populares

|                                   |                             |
|-----------------------------------|-----------------------------|
| Data Sheet, Technical Information | 9AKK107046A0424             |
| Instructions and Manuals          | Manual sheet inside the box |

## Clasificaciones

|                            |                                                    |
|----------------------------|----------------------------------------------------|
| Object Classification Code | Q                                                  |
| ETIM 6                     | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 7                     | EC000003 - Residual current circuit breaker (RCCB) |

---

## Categorías

---

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Interruptores diferenciales → Interruptores diferenciales

