
MAX® Faceplates

The MAX series modular faceplates combine high capacity with aesthetic enhancements that provide a fresh new look to match today's technologies. The faceplate offers pressure-release designation label covers which eliminate the need for a probe-pic or screwdriver when installing faceplate labels. The faceplates are designed to be used with the angled or flat MAX modules, hybrid Z-MAX® outlets or TERA® outlets. Its durable finish masks minor scuffs that may occur during daily usage. The single gang faceplate can support up to six outlets and the double gang can support up to twelve outlets.





Installation Flexibility
MAX, Z-MAX or TERA outlets can
be installed from front or rear of
faceplate.



Superior Density
Fits up to 6 outlets in a single gang
or 12 in a double gang faceplate.



Labeling
Faceplates include pressurerelease designation label covers
for quick, tool-less removal.



Product Information

10G MAX® Faceplates


10G MAX Faceplates are required for Z-MAX 6A UTP installations. Isolated port spacing ensures proper Alien Crosstalk performance. Faceplates include designation labels, clear label covers, and mounting screws.



Add "B" to end of part number for bulk project pack of 100 faceplates.

MAX Faceplates

Faceplates include designation labels, clear label covers, and mounting screws.



Add "B" to end of part number for bulk project pack of 100 faceplates.*


MAX Stainless Steel Faceplates

Single and double gang stainless steel MAX faceplates for use with flat and angled MAX, hybrid Z-MAX or TERA outlets. Brushed finish on plates mask minor scratches and scuffs that may occur during day-to-day usage.



10G MAX Horizonal Faceplates


Siemon's 10G single gang horizontal faceplate for Z-MAX®, TERA or MAX modules



Add "B" to end of part number for bulk project pack of 100 faceplates.

MAX Horizonal Faceplates

Siemon's single gang horizontal faceplate for Z-MAX, TERA or MAX modules



Note: Screws, designation label and clear label cover included.



^{*} Black and gray color options and bulk project packs available for single gang faceplates only.

Product Information

Universal Modular Furniture Adapter

Part Number

Description

CT-UMA-(XX) CT® Universal Modular Furniture Adapter, Accepts (1) CT Coupler. Includes faceplate, mounting frame,

label and clear label holder

Use (XX) to specify color: 01 = black, 02 = white, 04 = gray, 20 = ivory, 80 = light ivory




Part Number **Description**


MX-UMA-(XX)..... MAX Universal Modular Furniture Adapter, Accepts (4) MAX®, Z-MAX® or TERA® outlets. Includes faceplate, mounting frame, label and clear label holder



MAX® Modular Furniture Adapter

The MAX modular furniture adapters will accept four Z-MAX hybrid outlets, MAX angled or flat modules and snaps directly into communication outlet openings* in most major modular furniture systems. Adapters include designation label and clear label cover to allow for circuit identification.







Part Number

Description

MX-MFP-(XX) Modular furniture adapter for standard openings including

Steelcase

Use (XX) to specify color:

01 = black, 02 = white, 04 = gray, 20 = ivory, 80 = light ivory

Part Number Description

MX-MFP-HMA-(XX).. Modular furniture adapter for Herman Miller Action Office Series 2 and Ethospace base openings

Use (XX) to specify color:

01 = black, 02 = white, 04 = gray, 20 = ivory



into modular furniture openings, combining superior density with proper circuit designation.

MAX Tamper-Proof Faceplate

Siemon's tamper-proof MAX faceplates provide a secure, low profile solution for mounting our complete line of MAX modules. The design features a one-piece base which accepts up to six angled MAX modules and is secured by a solid cover and a choice of tamper-proof star or standard slotted head screw. The base mounts to any standard North American single gang box.

Part Number Description

MX-TFP-S-06-(XX) ... 6-port single gang, tamper-proof faceplate for angled MAX modules

Use (XX) to specify color: 02 = white, 80 = light ivory

Faceplates include tamper-proof and standard #6-32x1 mounting screws and color-matching screw cover. Note: Tamperproof faceplate is not compatible with Z-MAX® or TERA® outlets.





Wall Phone Faceplates

Part Number Description

WPJP Plastic Wall Phone Faceplate with 2-pair, 6-position USOC jack

Use (XX) to specify included module: Z6 = category 6, Z-MAX, UTP, T568A/B Z6A = category 6A, Z-MAX, UTP, T568A/B Z6AS = category 6A, Z-MAX, Shielded, T568A/B K6 = category 6, MAX, UTP, T568A/B K5 = category 5e, MAX, UTP, T568A/B



Part Number Description

MX-WP-(XX)-SS MAX Series Stainless Steel Wall Phone Faceplate with keystone module included





^{*}Furniture outlet openings, panel thickness, and raceway clearance may vary. Please consult furniture manufacturer for actual dimensions to determine compatibility.

MAX® Duplex and Designer Faceplates

The MAX Duplex and Designer faceplates are designed for use with Siemon's MAX series mounting frames. They are ideal for today's small office, home office, or residential environment. Faceplates include designation labels and color-matching label covers for circuit identification.



DP-S-(XX)..... Single gang, Duplex faceplate



DR-S-(XX)..... Single gang, Designer faceplate



DRE-D-(XX) Double gang Designer/Duplex faceplate



DR-D-(XX)..... Double gang Designer faceplate



Use (XX) to specify color: 02 = white, 20 = ivory, 25 = bright white, 80 = light ivory

MAX Mounting Frames

Siemon's MAX mounting frames provide a solution for installing MAX, Z-MAX® or TERA outlets in an environment where electrical Duplex or Designer style faceplates are desired. They are compatible with any Duplex or Designer style faceplate. The mounting ears can also be detached and used as spacers between the frames and mounting boxes.

Designer Mounting Frames



MX-D1Z-(XX)
Designer mounting frame, accepts one MAX or Z-MAX outlets



MX-D2Z-(XX) Designer mounting frame, accepts two MAX or Z-MAX outlets



MX-D4Z-(XX) Designer mounting frame, accepts four MAX or Z-MAX outlets



MX-D6F-(XX)....... Designer mounting frame, accepts six flat MAX or Z-MAX outlets





Duplex Mounting Frames



MX-E2F-(XX)
Duplex mounting frame, accepts two flat MAX or Z-MAX outlets



MX-E2A-(XX)........... Duplex mounting frame, accepts two angled MAX or Z-MAX outlets







4-port MAX mounting frame with HD15 female-female adapter installed MX-D4F-15E-(XX) 4-port MAX mounting frame,

MX-D4F-15-(XX)......

HD15 cut-out, empty

Use (XX) to specify color: 02 = white, 04 = gray, 20 = ivory, 25 = bright white, 80 = light ivory

Because we continuously improve our products, Siemon reserves the right to change specifications and availability without prior notice.

 North America
 Asia Pacific
 Latin America
 Europe
 China
 India Middle East

 P: (1) 860 945 4200
 P: (61) 2 8977 7500
 P: (571) 657 1950/51/52
 P: (44) 0 1932 571771
 P: (86) 215385 0303
 P: (971) 4 3689743

Siemon Interconnect Solutions P: (1) 860 945 4213 www.siemon.com/SIS

